



JBL S2

SPECIFICATIONS

ACOUSTIC & ELECTRICAL SPECIFICATIONS:

- Nominal Impedance: 8 ohm
- Power Rating: 10W to 100W
- Frequency Response: 40 Hz to 20 kHz
- Sensitivity: 86 dB SPL*
- Crossover Frequencies: 3 kHz

SYSTEM COMPONENTS:

- Cabinet: 69391-01
- Grille: 69394

*1 Watt (2.83 V RMS) @ 1 Meter

SYSTEM COMPONENTS: (cont'd)

- Low Frequency Transducer: 203mm (8.0 in.) High Polymer Laminate (308 HS)
- High Frequency Transducer: 19mm (.75 in.) Titanium Laminate Dome (Ultra 12) (69455)
- Crossover Network: 69461-0060


PHYSICAL SPECIFICATIONS:

- Enclosure Dimensions: 1016mm x 254mm x 254mm D (40.0 x 10.0 x 10.0 in. D)
- Shipping Weight: 40 lbs.


WARRANTY INFORMATION:

- Refer to the Warranty Statement packed with each product.

PACKAGE



WIRING DIAGRAM



DRIVER	TEST VOLTAGE	SWEEP FREQUENCY	DCR MIN-MAX.
69455	2.83	5KHZ-20KHZ	5.5-6.5 OHMS
308HS	4	20HZ-1.2KHZ	5.6-6.2 OHMS

JBL S2

COMPONENT EXPLODED VIEW

