







# dyson slim

The lightweight that doesn't lose suction.

DC18 key technology;

## No runnina costs

Lifetime filters that never need – replacing - just wash every three to six months.

## Multi Cyclone technology

Advanced Dyson cyclone technology. No clogged filters, no loss of suction.

## Cleanerhead geometry

The central pivot on the cleanerhead ensures the head maintains perfect contact with the floor even when the machine is turning.

## Motorised brushbar

Turn brushabr off at the touch of a button to protect delicate rugs and hard floors.

## Telescope Reach™ wand Quick-draw wand for instant high reach cleaning.

## Clear bin™

Tough polycarbonate - lets you see how well it's working and when to empty.



## AGE

## **Product overview**

- Introduction
- Variants
- DC18 overview
- 2 Specifications

## **Technical information**

- 2 Electrical testing
- 3 Electrical resistance values
- 4 Electrical circuit
- 5 Electrical fault diagnostic

## **Fitting notes**

- General notes
- 6 Motor replacement removal
- Motor replacement fitting
- 10 Yoke assembly removal
- 13 Yoke assembly fitting
- Undercarriage assembly removal
- Undercarriage assembly fitting
- 5 Switch cover and powercord assembly removal
- 18 Switch cover and powercord assembly fitting
- Duct replacement dismantle
- 21 Duct replacement assemble
- Sub-assemblies cleaner head dismantle
- 🛂 Sub-assemblies cleaner head assemble
- 30 Sub-assemblies duct assembly
- 3 Sub-assemblies internal cable looms assembly
- 32 Sub-assemblies wand assembly
- 32 Sub-assemblies undercarriage assembly
- 66 Sub-assemblies cyclone assembly
- 37 Sub-assemblies bin assembly
- 38 Electrical wires recap

## **Parts**

- 40 Motor, post filter and internal cable assembly
- Duct assembly, switch housing and powercord
- 42 Undercarriage and yoke assembly
- Cyclone and bin assemblies
- Cleaner head assembly
- 45 Wand and hose assembly



## Introduction

This manual is written specifically for Dyson trained engineers and covers the DC18 range. The service instructions assume the engineer has the approved tools and test equipment with them.

## **Variants**







DC 18 allergy

## **DC18 overview**

At only 6.6kg Dyson Slim is the new lightweight that doesn't lose suction. Like DC15, conventional wheels have been replaced with a single ball. This makes the machine easy to steer to clean tight places. The central pivot on the cleaner head ensures that the head maintains perfect contact with the floor even when the machine is turning. To give great pick up, there is a separate motor in the cleaner head that powers the brushbar; this can be turned off at the touch of a button to protect delicate rugs and hard floors. All DC18 products incorporate a combination accessory tool, hygienic bin emptying and the new Advanced Telescope Reach™ wand system, which expands instantly for stair and high reach cleaning.

## **Specifications**

|                          | all floors          | allergy             |
|--------------------------|---------------------|---------------------|
| Suction power (airwatts) | 200                 | 200                 |
| Pre-motor filter         | 3-6 months washable | 3-6 months washable |
| Post-motor filter        | Lifetime pad        | Lifetime HEPA       |
| Telescope reach wand     | Yes                 | Yes                 |
| Motorised brush control  | Yes                 | Yes                 |
| Hygienic bin emptying    | Yes                 | Yes                 |
| Bin capacity (L)         | 1.7                 | 1.7                 |
| Cable length (m)         | 7.5                 | 7.5                 |
| Maximum reach (m)        | 11.9                | 11.9                |
| Main motor (W)           | 1200                | 1200                |
| Sound level (dBa)        | 83                  | 83                  |
| Height (mm)              | 1110                | 1110                |
| Width (mm)               | 300                 | 300                 |
| Depth (mm)               | 415                 | 415                 |
| Operational weight (kg)  | 6.6                 | 6.6                 |

## Electrical testing

## General safety note


All operating instructions contained within this service manual are intended solely for the use of adequately trained personnel. The instructions assume the service engineer has the correct test equipment to complete the activity. Prior to using any consumer mains supply sockets you must ensure the socket is tested for correct polarity.

## Testing DC18 for correct insulation


The following insulation tests MUST be carried out prior to and on completion of all services to DC18, and BEFORE any functional checks. You must ensure that a full visual inspection of the product is completed prior to any service activity.

Ensure at all times during service and testing that consumers, pets and children are not exposed to any live electrical supply.

## **Insulation test points**



Test directly onto the top of the vac motor (see pages 6-8 for access).



Test 2

Bond the live and neutral pins of the cleaner head connector block using the crocodile clip. With the pins bonded test the two screws in the lower brushbar motor cover.

Issued 10/06



### Test results

An insulation test reading of between 2 M $\Omega$  and infinity is acceptable.


A reading of below  $2~M\Omega$  is not considered safe and further investigation, rectification and testing must be completed before the product is used.

## Electrical resistance values

| COMPONENT                       | TEST BET    | WEEN | POINTS      | OHMS         |
|---------------------------------|-------------|------|-------------|--------------|
| POWERCORD ASSY                  | LIVE PIN    | ТО   | NEUTRAL PIN | APPROX 8     |
| POWERCORD ASSY                  | LIVE PIN    | TO   | 1           | 1 MAX        |
| POWERCORD ASSY                  | NEUTRAL PIN | ТО   | 5           | 1 MAX        |
| SWITCH                          | 1           | ТО   | 2           | 1 MAX        |
| SWITCH                          | 3           | ТО   | 4           | 1 MAX        |
| INTERNAL CABLE (LIVE)           | 2           | TO   | 3           | 1 MAX        |
| INTERNAL CABLE (LIVE)           | 2           | TO   | 6           | 1 MAX        |
| INTERNAL CABLE (NEUTRAL)        | 5           | ТО   | 7           | 1 MAX        |
| INTERNAL CABLE (NEUTRAL)        | 5           | TO   | 8           | 1 MAX        |
| INTERNAL CABLE (RED)            | 4           | ТО   | 9           | 1 MAX        |
| UPRIGHT SWITCH LOOM (DEPRESSED) | 9           | TO   | 10          | 1 MAX        |
| COILED CABLE LOOM               | 7           | TO   | 12          | 1 MAX        |
| COILED CABLE LOOM               | 10          | TO   | 11          | 1 MAX        |
| MOTOR                           | 6           | ТО   | 8           | APPROX 7     |
| CLEANER HEAD                    | 13          | TO   | 19          | APPROX 120   |
| CLEANER HEAD                    | 13          | TO   | 14          | 1 MAX        |
| TCO SWITCH                      | 14          | TO   | 15          | 1 MAX        |
| TCO SWITCH                      | 19          | ТО   | 20          | 1 MAX        |
| PCB BOARD                       | 15          | ТО   | 16          | 1 MAX        |
| PCB BOARD                       | 16          | ТО   | 17          | OPEN CIRCUIT |
| PCB BOARD                       | 17          | ТО   | 18          | 1 MAX        |
| PCB BOARD                       | 20          | ТО   | 21          | 4 MAX        |
| PCB BOARD                       | 21          | TO   | 21          | 1 MAX        |
| BB MOTOR                        | 18          | TO   | 22          | APPROX 70    |

10/06 Issued 10/06

## **Electrical circuit**





## Electrical fault diagnostic

- 1) When DC18 is switched on in the upright position, the brushbar motor is off. Tilting the machine into normal vacuuming mode will automatically operate the upright switch, turning the brushbar motor on. The brushbar motor can be switched off using the brushbar switch.
- 2) The vacuum motor of DC18 is fitted with a heat sensitive Thermal Cut-Out (TCO). This will shut the motor down for up to 60 minutes if it reaches a temperature >96 degrees celcius. Excessive temperatures within the motor are usually caused by machine/filter blockages.
- 3) The cleaner head is fitted with a TCO reset switch that will shut the brushbar motor off if it is put under an excessive load (blocked/seized brushbar etc.). The cause of the shut down should be cleared and the TCO reset by pressing the switch.

If the cause of the brushbar motor cut-out is not rectified the TCO will repeatedly reactivate, preventing the brushbar from turning.

## **Electrical fault diaignosis**

Note: all 'connection' numbers and 'continuity' checks refer to the illustration and table on pages 3-4.

## No machine power (vac motor and brushbar motor off)

- 1) Check for damage/electrical failure to the plug, fuse and powercord. Check the mechanical actuation of the on/off switch.
- 2) Check for a loose connection at points 1, 2 and 5.
- 3) Check continuity of powercord, on/off switch and internal cable (neutral wire only).

## No power to the vac motor (brushbar motor on in tilt position)

- 1) Check connections at points 6 and 8.
- 2) Check continuity of the internal cable (live wire, points 2-6 and neutral wire points 7-8).
- 3) Check the vac motor continuity and motor brushes, windings, commutator etc.

### No power to the brushbar motor (vac motor on)

- 1) Check connections at points 3,4,9,10,11,12, 13, 14, 15, 18, 19, 20 and 22.
- 2) Check the continuity of the brushbar switch, the internal cable (red wire only), the micro switch loom, the cleaner head coiled cable loom assembly, the cleaner head connector block assembly and the PCB assembly, points 20-21 only.
- 3) Check the brushbar motor continuity and motor brushes, windings, commutator etc.

### Brushbar motor on in upright position (switches off with brushbar switch)

1) Check the actuation of the micro switch. Ensure the micro switch isn't jamming or sticking.


## Brushbar switch does not switch brushbar motor off in tilt position

1) Check for correct location of the brushbar reset arm (see item 74, page 19).

5

Fitting notes

## General notes



Before attempting any repairs it is vital to ensure that the product is totally isolated from the mains supply and that accidental reconnection cannot occur.




All screws used in DC18 are M3.5 x 16 Torx T-15 unless otherwise stated.




All female terminal clips used in DC18 contain a locking mechanism. The release pip will need to be activated before separation from the male terminal can occur.


## Assembly guide

The fitting notes contained within this service manual are separated into the following assembly sections:





## Motor replacement - removal







Issued 10/06










Press the cyclone release catch and remove the cyclone assembly and bin assembly from the front of the duct assembly. If necessary the prefilter can be removed/checked from inside the top of the cyclone assembly.






























## Motor replacement - fitting




17 Press the motor inlet seal onto the base of the motor ensuring that all edges of the seal are in full contact with the motor.





Align the three locators on the motor mour with the relevant holes in the top of the motor. Firmly press the motor mount onto the motor.





Lower the motor into the inner bucket. Ensure the motor is orientated as shown (the motor mount should align with the line on the duct). **Important:** ensure all wires are free from screw bosses.












On the cover 'keys' onto the motor mount. It may be necessary to adjust the orientation of the motor to align the motor retainer with the screw bosses. Refit the 3 screws.



Refit the motor retainer seal and post motor seal onto the motor retainer ring.








assembly. Slide the tube into the wand assembly.


Refit the cyclone and bin assembly onto the front

of the duct assembly.


Yoke assembly - removal


Press the two release catches and remove the cleanerhead assembly from the front of the product.








Carefully prise off the swivel cover. Detach the female connector assembly and coiled cable grommet from the swivel.


















# Yoke assembly - fitting 37 Feed the coiled cable assembly through the

opening in the front of the voke assembly.












wheel axle into the yoke assembly and barrel



wheel assembly.

# Refit the internal hose assembly into the front of the yoke assembly. Locate the internal hose firmly onto the undercarriage assembly.






## Undercarriage assembly - removal


Before continuing the following parts should be removed as previously shown: Yoke assembly (pages 11 to 12).




Press the hose release catch on the bottom of the hose assembly. Remove the hose assembly.





Carefully separate the two halves of the connector housing assembly using a thin flat bladed screwdriver.





Issued 10/06













## **Undercarriage assembly - fitting**







(1)Feed the coiled cable assembly through the hole in the front of the undercarriage assembly. (2)Feed the upright micro switch carefully through the top of the undercarriage assembly and then through the hole in the side.



undercarriage assembly with the channel on the duct. Slide into place ensuring the pipe on the side of the undercarriage assembly locates into the duct seal. Refit the two screws on the rear of the duct and the four cheesehead screws on the front of the undercarriage assembly.



assembly. Dress the wires neatly into the channel. Refit the micro switch cover and T-8 screw.




Position the coiled cable assembly wires into the base of the female connector assembly. Clip the top of the female connector assembly onto the base.


After fitting the undercarriage assembly the following parts should be fitted as previously shown:


Yoke assembly (pages 13 to 14).


Issued 10/06


## Switch cover and powercord assembly - removal















## Switch cover and powercord assembly - fitting




Firmly press the powercord into the duct assembly. Ensure the end of the outer insulation ends where shown.












Attach the linked live wires to both switches.





Ensure all wires are appropriately dressed into the channels and clips provided.


Issued 10/06












Important: before locating the top of the switch cover onto the duct assembly ensure the brushbar reset arm locates into the detail on the front of the duct assembly. Failure to do so may result in the inability to turn the brushbar off using the switch. Once the arm is located press the switch cover onto the duct assembly. Refit the four screws in the rear of the duct.


## **Duct replacement - dismantle**

## Before continuing the following parts should be removed as previously shown:


Motor assembly (pages 6 - 9) Yoke assembly (pages 11 to 12) Undercarriage assembly (pages 14 - 15) Switch cover and powercord (page 17).




Undo the four screws in the lower duct cover. Remove the lower duct cover and lower duct cover seal.




assembly.












## DC 18 service manual


# Duct replacement - assemble


B) Lower the inner bucket into the new duct assembly. Note: ensure the grommets on the coiled cable and micro swich loom seal against the openings in the base of the duct.












Fitting notes

## service manual

# Sub assemblies - cleaner head dismantle









After assembling the parts onto the duct assembly, the following parts should be fitted as previously shown:


Powercord and switch cover (pages 18 - 19) Undercarriage assembly (page 16) Yoke assembly (pages 13 - 14) Motor assembly (pages 9 - 11)




Undo the endcap fasteners from either side of the brush housing using a large flat bladed screwdriver or coin.





<sup>91)</sup> Twist the endcap assemblies off either side of the brush housing.





Remove both halves of the brushbar assembly from the brushbar motor assembly.

















































Release the cleaner head connector block from the brushbar motor cover using a blunt ended screwdriver.















Issued 10/06


## Sub assemblies - cleaner head assemble




Align the swivel catch spring with the locator on the brushbar motor cover. Press the swivel catch into place.




Slide the brushbar motor cover onto the brush housing assembly. Refit and tighten the two cheesehead screws.





Refit the gimble cover onto the front of the brushbar motor cover. Refit and tighten the two cheesehead screws.







Locate the rear of the cleanerhead connector block onto the shelf in the brushbar motor cover. Press the front of the block into the brushbar motor cover until the catch clips into place.











Dress the PCB wire and cleaner head connector block wire neatly/securely into the retaining clips provided.














mounts. Attach the white wire from the PCB assembly onto the brushbar motor.




Refit the motor mounts into the lower brushbar motor cover if previously removed. Lower the cover onto the brushbar motor cover until the catch on the cover clips over the retainer. Refit the two screws on the rear of the lower brushbar motor cover




Refit the ropeseal into the lower brushbar motor cover if previously removed.



Lower the bumper onto the front of the brush housing until the two catches clip over the retainers.




Lower the soleplate onto the brush housing. The detail on the front of the soleplate fits over the front motor mount and the catch on the rear clips over the retainer on the brushbar motor undertray. Refit the five screws.




Alian the end of each half of the brushbar assembly with the brushbar motor spindle. Push each half of the brushbar assembly onto the spindle.


# Push the endcap assemblies onto the ends of each brushbar and twist into place.




Issued 10/06


## Sub-assemblies - duct assembly









duct and press over the retainer.



The crevice tool clip can be pushed out of the side of the duct with a screwdriver and a new one pressed back in place.




Firmly prise the wand release catch and spring out of the top of the duct if necessary using a large flat bladed screwdriver.





Push the catch into position until it clips into

# Sub-assemblies - internal cable looms assembly



The micro switch loom assembly, cleaner head coiled cable loom assembly or internal cable assembly can be replaced. Carefully release the relevant wires from the channel and detach.






When fitting any one of the assemblies, ensure all wires are neatly dressed into the base of the inner bucket and the grommets are correctly located under the retaining ribs.

place.

## Sub-assemblies - wand assembly





The only part available separatly from the wand handle assembly is the wand cap. To remove simply push off the top of the wand handle assembly.





the wand handle assembly.


## Sub-assemblies - undercarriage assembly

































Refit the spring onto the cruciform on the gimble lock cover. Locate the gimble lock cover under the retainer on the undercarriage. Lower the gimble lock cover onto the screw boss. Refit the screw.












through the base of the undercarriage.

plunger and into the holes in the side of the







To refit, locate the spring onto the pedal plunger. Locate the end of the spring onto the retaining channel in the undercarriage. Press the pedal plunger hinge points in to the retainers in the undercarriage.

















# Sub-assemblies - cyclone assembly




To replace the cyclone cap assembly firmly twist it off the rear of the cyclone assembly. Refit in reverse.





cap assembly. Refit in reverse.



Should it need replacing, the bin seal simply pulls off the cyclone assembly. When refitting, ensure the locating tab on the seal aligns with the recess on the cyclone assembly.



The FDC seal can be removed from the bottom of the cyclone assembly. When refitting, align the locating tab with the recess. Ensure that all retaining ribs are covered by the seal.

# Sub-assemblies - bin assembly




To replace the bin base assembly, activate the bin base release. Then pull the bin base away from the bin until it 'bumps' off.




Locate one of the hinge points on the new bin base assembly into the retainer on the bin. Firmly press the other hinge point into place.

# **Electrical wiring recap**



Ensure the connection insulator is securely clipped around the neutral terminals and fitted correctly into the channel provided. The neutral wires must be located securely into the retaining channels provided before fitting the switches and remaining wires.




Ensure that all wires are securely clipped to the switches. All wires must be securely located into the retaining clips provided.


# Micro switch loom Ensure the locating peg Ensure the wincro switch possibility of micro switch

Ensure the micro switch is located onto the two locating pegs on the micro switch housing.


Ensure the wires are neatly dressed within the micro switch housing and that there is no possibility of either being trapped when fitting the micro switch cover.




Ensure that the wires from the PCB assembly and cleaner head connector block are securely located into all retaining clips provided and are clear of any screw bosses.



# Motor, post filter and internal cable assembly




### Duct assembly, switch housing and powercord






# Undercarriage and yoke assembly






# Cyclone and bin assembly



# Cleaner head assembly



# Wand and hose assembly

