



* : The components identified by the mark of * in the schematic are important safety parts. If replacement is required, refer to service manual to re-adjust and/or re-checked the B+ and High Voltage to reach the specified value.

Acer 明基電腦股份有限公司 Acer Peripherals, Inc.				
ACERVIEW		7178IE	(SPS.CKT)	SCHEMATICS
SIZE	A3	78IEMFC.SCH	FAB	Doc.No.
			C	304-C01
DATE :	9/3/1996	Sheet	4	OF 5
Project Code.		91.77402.001		
Prepared By		Reviewed By		Approved By





⚠ : The components identified by the mark of ⚠ in the schematic are important X-Radiation and Safety Parts. Should replacement is required, replace only with the same type and rating originally used.


- NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8 watt, 5% except where otherwise indicated
 3. $\nabla \rightarrow \perp$ Represents PCB common ground.



- NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8, 5% watt except where otherwise indicated
 3. ∇ ∇ ∇ Represents PCB common ground.





ACER  明基電腦股份有限公司 Acer Peripherals, Inc.				
ACERVIEW		7178IE	(PREAMP.CKT)	SCHEMATIC
SIZE A3	78IEAFA.SCH	FAB A	Doc.No. 304-C03	REV. 2
DATE : 9/3/1996		Sheet 1 OF 1		
Project Code.		91.77402.001		
Prepared By		Reviewed By		Approved By




Fh (Hz) range	SC3A	SC2A	SC1A	SC0A
Fh<30K	1	1	1	1
30K<=Fh<40K	1	1	1	0
40K<=Fh<50K	1	1	0	0
50K<=Fh<60K	0	0	1	0
60K<=Fh<70K	1	0	0	0
Fh>=70K	0	0	0	0


NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8, 5% watt except where otherwise indicated
 3. ∇ ∇ ∇ Represents PCB common ground.

Acer  明基電腦股份有限公司 Acer Peripherals, Inc.				
ACERVIEW 7178IE (CS.CKT) SCHEMATIC				
SIZE A4	7BIESFA.SCH	FAB A	Doc.No. 304-C04	REV. 2
DATE : 9/3/1996		Sheet 1 OF 1		
Project Code. 91.77402.001				
Prepared By		Reviewed By		Approved By




NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8, 5% watt except where otherwise indicated
 3. $\text{---}\text{---}\text{---}$ Represents PCB common ground.


Acer  明基電腦股份有限公司 Acer Peripherals, Inc.				
ACERVIEW		7178IE	(MAIN.CKT)	SCHEMATICS
SIZE A4	78IEMFC.SCH	FAB C	Doc.No. 304-C01	REV. 2
DATE : 9/3/1996		Sheet	3	OF 5
Project Code.		91.77402.001		
Prepared By	Reviewed By		Approved By	




ACER 明基電腦股份有限公司 Acer Peripherals, Inc.				
ACERVIEW	7178IE	(MAIN.CKT)	SCHEMATICS	
SIZE A3	78IEMFC.SCH	FAB C	Doc.No. 304-C01	REV. 2
DATE : 9/3/1996		Sheet	2	OF 5
Project Code.		91.77402.001		
Prepared By		Reviewed By		Approved By



- NOTES: 1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8, 5% watt except where otherwise indicated
 3. ∇ ∇ ∇ Represents PCB common ground.







indicated

⚠ : The components identified by the mark of ⚠ in the schematic are important X-Radiation and Safety Parts. Should replacement is required, replace only with the same type and rating originally used.

* : The components identified by the mark of * in the schematic are important safety parts. If replacement is required, refer to service manual to re-adjust and/or re-checked the B+ and High Voltage to reach the specified value.



- NOTES:
1. Resistor values are in ohm, K=1,000 ohm, M=1,000,000 ohm
 2. All resistors are 1/8, 5% watt except where otherwise indicated
 3. ∇ \rightarrow \perp Represents PCB common ground.



ACER 明基電腦股份有限公司
Acer Peripherals, Inc.

ACERVIEW	7178IE	(VIDEO.CKT)	SCHEMATIC	
SIZE A3	78IEVAFA.SCH	FAB A	Doc.No. 304-C02	REV. 1
DATE :	7/17/1996	Sheet	1	OF 1
Project Code.		91.77402.001		
Prepared By		Reviewed By		Approved By